

	Hits	Search Text	DBs
1	542	(unique with (id\$1 or identifier\$1 or identification\$1) with router\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	454	S1 and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	278	S2 and central\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	57	S3 and multi\$1cast\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	0	S3 and (multi\$1cast\$4 with domain\$1 with (id\$1 or identification\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	0	S3 and (multi\$1cast\$4 same domain\$1 same (id\$1 or identification\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	38	S4 and port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	19	S8 and domain\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	14	S9 and database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	10	S10 and report\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	3	S11 and (port\$1 with (id\$1 or identifier\$1 or identification\$1) with router\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	3	S12 and network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	0	S14 and (admin\$6 with system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	S14 and admin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	3	S13 and node\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	542	(unique with (id\$1 or identifier\$1 or identification\$1) with router\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	454	L2 and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	278	L3 and central\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	57	L4 and multi\$1cast\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	38	L5 and port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	19	L6 and domain\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	14	L7 and database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	10	L8 and report\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	3	L9 and (port\$1 with (id\$1 or identifier\$1 or identification\$1) with router\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	7	9 not 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	2	11 and administrative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	3	11 and (administrative or administration\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB